

# Administration Lessons Learned Program Success Stories

**SELLS Fall Meeting 2002** 

October 23, 2002

#### **PURPOSE**

 Creation of a User Specified LL Portal for effective LL utilization.

 Facilitate the requirement to share LL information among NNSA personnel.

#### A Sample of SUCCESS STORIES

- Defective Fire Sprinklers OAK
- Battery Backup Fire Hazard for Phone System - OR
- Facility Rep. Qualification Pgm. AL
- Forklift Maintenance LANL

## NNSA Lessons Learned Portal DEFECTIVE FIRE SPRINKLERS

- Oakland Site checked inventory of sprinklers and developed a replacement program to identify/replace defective sprinklers.
- Money saved as manufacturer replaced sprinklers at no charge (result of LL program getting word out quickly).

#### BATTERY BACKUP FIRE HAZARD for PHONE SYSTEM

- LL directly related to functions performed by Qwest Communications, Oak Ridge.
- Lesson distributed to each employee (sharing of knowledge).
- Lesson posted accessible to telephone maintenance technicians.

## NNSA Lessons Learned Portal FACILITY REP QUALIFICATION PROGRAM

- Albuquerque FRs are required to pass management oral board in formal qualification program.
- LLs used to develop postulated events as core of oral board questions.
- LLs are an integral part of required reading program.

#### FORKLIFT MAINTENANCE

- LL prompted LANL follow-up on maintenance performed on lifts.
- LL provided solid cognitive thinking by helping to recognize possible equipment problems.

#### **QUESTION??**

 How to ensure that appropriate individuals within your Site or Contractor organization have access to the NNSA Lessons Learned Portal <a href="http://lessons-learned.net">http://lessons-learned.net</a> with a user profile established.

#### ANSWER ...

 You can help by working with your Site Lesson Learned Coordinators to share this information.

### PATH FORWARD to Increased LL SUCCESS

- DOE Site Challenge Enhance value of LL process by promulgating both positive and not so positive LLs (e.g., Hanford Site success w/ number and breadth of LL).
- SELLS should continue to facilitate use of LL systems.

## NNSA Lessons Learned Portal CONTACTS/QUESTIONS/COMMENTS?

- → Chris Coccagna, SAIC, 301-353-8302.
- → Tom Rotella, DOE/NNSA, 301-903-2649.